



MATERIAL SAFETY DATA SHEET

MSDS Name: PRO-GYP Prime Perm
MSDS Number: PF
Version Number 0009
MSDS Date: 12/02/03
Page Number: 1 of 5

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: PRO-GYP Prime Perm
CAS Number MIXTURE
Hazard Rating: Health: 1 Fire: 1 Reactivity: 0 PPI: E
EPA Registration NA
Company PRO-GYP Inc. 9570 SW Barbur Blvd Portland OR
Contact: CUSTOMER SERVICE
Telephone/Fax: 714 453 9082 / 714 453 9025
Emergency Phone (24 Hour): INFOTRAK (800) 535-5053
Preparer Jay Thomas
Product Class WATERBASE PAINT
Trade Name DRYWALL PERM BARRIER
Product Code PFX03H39C

SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients
CAS Number % TSCA Health Fire React PP
(No hazardous ingredients known at this time.)

SECTION III - HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY:

Ingestion and/or inhalation.

CARCINOGENICITY:

This product does not contain any substance(s) listed as a carcinogen by NTP, IARC, or OSHA.

ACUTE (SHORT TERM) FOR PRODUCT:

EYES: Causes irritation.

SKIN: May cause skin irritation upon prolonged or repeated contact.

BREATHING: Causes slight irritation to nose and throat.

SWALLOWING: Ingestion may cause nausea, vomiting, diarrhea.

CHRONIC (LONG TERM) FOR PRODUCT OR COMPONENTS:

Prolonged or repeated breathing of sprays, mists, or dusts in excess of the suggested TLV may cause nasal and respiratory irritations.



MATERIAL SAFETY DATA SHEET

MSDS Name: PRO-GYP Prime Perm

MSDS Number: PF4506-01

Version Number 0009

MSDS Date: 12/02/03

Page Number: 2 of 5

-

PERMISSIBLE EXPOSURE LEVEL FOR PRODUCT:

No Threshold Limit Value (TLV) has been established for the product. Current Adopted Values listed by ACGIH suggests a TLV of 10 mg/m³ as Inhalable Particulates Not Otherwise Classified for sprays, mists or dust particulates generated during application or handling exposures.

SECTION IV - FIRST AID MEASURES

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation continues, see a physician.

IF ON SKIN: Flush skin with water.

IF SWALLOWED: Induce vomiting. Call a physician immediately. Give large amounts of water or milk.

Never give anything by mouth to an unconscious or convulsing person.

IF BREATHED: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

If breathing is difficult, give oxygen. Call a physician.

SECTION V - FIRE-FIGHTING MEASURES

Flammability Class IIIB

Flash Range: >200F

Explosive Range: Not Applicable

EXTINGUISHING MEDIA:

Extinguishing media: Product is non-combustible.

SPECIAL FIREFIGHTING PROCEDURES:

Use self-contained breathing apparatus with full face piece.

UNUSUAL FIRE & EXPLOSION HAZARDS: None.

SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

SMALL SPILLS: Contain spill immediately. Use inert material to absorb spilled material. Place absorbed spill into secure container for removal.

LARGE SPILLS: Use caution; spilled material may be extremely slippery. Contain spill immediately and prevent from entering the sewer system. Use an inert material to absorb spilled product.

NOTE: Rinsing this material down a sanitary sewer system can cause negative impact on monitoring systems. Contact local sewer authorities before attempting any discharges.

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

PROTECT FROM FREEZING. Store above 40 deg. F. Frozen product may be irreversibly damaged.

Keep container closed when not using. Agitate before using.

-



MATERIAL SAFETY DATA SHEET

MSDS Name: PRO-GYP Prime Perm

MSDS Number: PF4506-01

Version Number 0009

MSDS Date: 12/02/03

Page Number: 3 of 5

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

RESPIRATORY PROTECTION: Use an approved MSHA or NIOSH respirator for nuisance mists, dusts, or sprays.

VENTILATION: Use adequate ventilation to keep airborne concentrations below the exposure standard listed in

Section II and/or Section V.

PROTECTIVE GLOVES: None normally required. Use is advisable.

EYE PROTECTION: Wear approved splash proof chemical goggles. In a controlled environment where eye contact is minimal, Safety glasses with side shields may be sufficient protection.

OTHER PROTECTIVE EQUIPMENT: Avoid contact with clothing, dried product may be irremovable.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form: LIQUID

Appearance/Color: WHITE

Odor: MILD

Solubility (in water): DISPERSIBLE

PH Value: 9.0-9.5

Boiling Range: (WATER) 212.F (100.C)

PERM Pressure (mmHg): (WATER) 17.@ 68.F (20.C)

Melting Point: Not Available

EPERMation Rate: Unavailable

PERM Density: Non Volatile

Partition Coefficient Not Available

% Volatile Volume INCLUDING WATER 72.88%

Specific Gravity: 1.19226

VOC SEE SECTION XVI

Molecular Weight: MIXTURE

SECTION X - STABILITY AND REACTIVITY

Stability: This product is stable

Hazardous Polymerization: Hazardous polymerization will not occur

INCOMPATABILITY:

None



MATERIAL SAFETY DATA SHEET

MSDS Name: PRO-GYP Prime Perm

MSDS Number: PF4506-01

Version Number 0009

MSDS Date: 12/02/03

Page Number: 4 of 5

-
CONDITIONS TO AVOID: Acids, strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or burning may produce carbon monoxide and/or carbon dioxide.

SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)

ADDITIONAL TOXICOLOGICAL DATA FOR PRODUCT AND/OR INGREDIENTS: None known for product.

SECTION XII - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION FOR PRODUCT AND/OR INGREDIENTS: Aquatic toxicity not available.

SECTION XIII - DISPOSAL CONSIDERATIONS

EPA Hazardous Waste Number NONE

WASTE DISPOSAL METHOD:

Product must be disposed of properly under Federal/State regulations for industrial waste. Disposal to a landfill may be permitted pending compliance with 40 CFR 264.314 & 265.314. This product when spilled or disposed of is a non-hazardous waste as defined in RCRA regulations (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

UN Number NONE

UN Pack Group NA

UN Class NA

ICAO/IATA Class NONE

DOT Hazard Class NOT HAZARDOUS

CANADIAN TDG/WHMIS INFORMATION:

PIN NUMBER: None

TDG: NA

TDG ACT CLASS: NA

WHMIS: D2B

OTHER NAMES: None



MATERIAL SAFETY DATA SHEET

MSDS Name: PRO-GYP Prime Perm

MSDS Number: PF4506-01

Version Number 0009

MSDS Date: 12/02/07

Page Number: 5 of 5

-

SECTION XV - REGULATORY INFORMATION

EEC Classification Irritant

This product is not a listed hazardous substance.

SECTION XVI - OTHER INFORMATION

ADDITIONAL PRECAUTIONS AND NOTES:

Do not dilute or mix with other materials unless advised by supplier.

VOC INFORMATION

A Certified Product Data Sheet (CPDS) as outlined under Title 40 Part 63, Subpart JJ, Section 63.801 Definitions, detailing VOC content, will be available upon request from PRO-GYP Inc.

-

Last Page